
Fig.1



BEST AVAILABLE COPY




Fig.3

	ĺ						
EXCITATION LIGHT WAVELENGTH Ex (nm)	300	300	500	800	500	300	,
	310	500	800	1000	800	500	·
	320	700	1000	2000	1000	700	P
	330	700	1000	2000	1000	700	
	340	500	800	1000	800	500	
	350	300	500	800	500	300	
		350	360	370	380	390	

FLUORESCENCE WAVELENGTH Em (nm)

Fig.4





Fig.5






Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13






Fig.14




FLUORESCENCE WAVELENGTH (nm)

EXCITATION LIGHT WAVELENGTH Ex (nm)



EXCITATION LIGHT WAVELENGTH Ex (nm)



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

□ FADED TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.